

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20030023656").PN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 08:03
L2	2	L1 and (deadlock\$3 lock\$3 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 08:57
L6	1	(US-6622155-\$).did	USPAT	OR	ON	2005/03/18 08:57
L7	1	L6 and (deadlock\$3 lock\$3 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:54
L8	107	(prevent\$3 avoid minimiz\$6 detect\$3) with (conflict\$3 starvation\$2 contend\$3 contention deadlock\$3 quiescen\$2) with (thread\$3 process task\$3 request\$3) with access\$3 with (resource object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 08:59
L9	1	L6 and (deadlock\$3 lock\$3 monitor\$3 detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 09:03
L10	4	("5590335" "5706515").pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 09:03
L11	4	L10 and (deadlock\$3 lock\$3 monitor\$3 detect\$3 contend\$3 contention conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 09:04
L12	1	((detect\$3) with (deadlock\$3 quiescen\$2) with (thread\$3 process task\$3 request\$3) with access\$3 with (resource object)) same ((queue\$3 wait\$3) with (period\$2 interval tim\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 11:31

L13	1	((detect\$3) with (deadlock\$3 quiescen\$2) with (thread\$3 process task\$3 request\$3) with access\$3 with (resource object)) and ((thread\$3 process task\$3 request\$3) with access\$3 with (resource object) with (queue\$3 wait\$3) with (period\$2 interval tim\$3))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/18 11:32
L14	5	((detect\$3) with (deadlock\$3 quiescen\$2) with (thread\$3 process task\$3 request\$3) with access\$3 with (resource object)) and ((thread\$3 process task\$3 request\$3) with (request\$3 access\$3) with (queue\$3 wait\$3) with (period\$2 interval tim\$3 ag\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/18 11:38
L15	114	((detect\$3) with (thread\$3 process task\$3 request\$3) with (request\$3 access\$3) with (resource object disk memor\$3)) with (queue\$3 wait\$3) with (period\$2 interval tim\$3 ag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/18 11:40
L16	34	((detect\$3) with (thread\$3 process task\$3 request\$3) with (request\$3 access\$3) with (resource object)) with (queue\$3 wait\$3) with (period\$2 interval tim\$3 ag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/18 13:31
L18	0	(detect\$3) with (deadlock\$3 quiescen\$2) with (thread\$3 process task\$3 request\$3) with (resource object) with return\$3 with (error exception)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/18 14:32
L19	3	(detect\$3) with (deadlock\$3 quiescen\$2) with (thread\$3 process task\$3 request\$3) with (resource object) with (error exception)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/18 14:33
L20	4	(detect\$3) same (deadlock\$3 quiescen\$2) same (thread\$3 process task\$3) same (access\$3 request\$3) same (resource object) same (respond\$3 return\$3) same (error exception)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/18 14:38
L21	5	(detect\$3) same (deadlock\$3 quiescen\$2) contention contend\$3) same (thread\$3 process task\$3) same (access\$3 request\$3) same (resource object) same (respond\$3 return\$3) same (error exception)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/18 14:41
L22	29	(detect\$3) same (deadlock\$3 quiescen\$2) contention contend\$3) same (access\$3 request\$3) same (thread\$3 process task\$3 resource object) same (respond\$3 return\$3 rais\$3) same (error exception)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/18 14:45

L23	24	l22 not l21	U...B; U...A; U... L... DERIVE FORM L2B	OR	ON	2005/03/18 14:42
L24	220	(detect\$3) same (deadlock\$3 quiescen\$2) same (respond\$3 return\$3 rais\$3) same (error exception)	U...B; U...A; U... L... L... L... L...	OR	ON	2005/03/18 14:52
L25	18	(detect\$3) with (deadlock\$3 quiescen\$2) with (respond\$3 return\$3 rais\$3) with (error exception)	U...B; U...A; U... L... L... L... L...	OR	ON	2005/03/18 15:17
L26	22	(detect\$3) same (deadlock\$3 quiescen\$2) same (throw\$3 return\$3 rais\$3) same (exception)	U...B; U...A; U... L... L... L... L...	OR	ON	2005/03/18 14:52
L27	1	L6 and (exception)	U...B; U...A; U... L... L... L... L...	OR	ON	2005/03/18 14:55
L28	1	L1 and (lock\$3 progress\$3 exception\$2 conditional medium)	U...B; U...A; U... L... L... L... L...	OR	ON	2005/03/18 14:55
L29	1	L28 and (exception)	U...B; U...A; U... L... L... L... L...	OR	ON	2005/03/18 14:55
L30	2	"5845117".pn	U...B; U...A; U... L... L... L... L...	OR	ON	2005/03/18 15:17
L31	1	l30 and (error exception)	U...B; U...A; U... L... L... L... L...	OR	ON	2005/03/18 15:19

S7	2	"6389420".pn.	OR	ON	2005/03/17 13:42
S8	2	"5305448".pn.	OR	ON	2005/03/17 15:10
S9	2	"20010014905".pn.	OR	ON	2005/03/17 15:12
S10	5	(S5 S6 S7 S8 S9) and (obtain\$3 acquir\$3 request\$3 access\$3) and (lock\$3) and (queue\$3 wait\$3) and (own\$3 identit\$7 identit\$7) and (predetermin\$7 condition\$2 deadlock\$3) and notifi\$7	OR	ON	2005/03/17 17:09
S11	2	S1 and (deadlock\$3)	OR	ON	2005/03/18 08:03
S12	0	(S5 S6 S7 S8 S9) and (deadlock\$3)	OR	ON	2005/03/17 17:13
S13	0	(S5 S6 S7 S8 S9) and (deadlock\$3 quiestcen\$3)	OR	ON	2005/03/17 17:13
S14	789	(prevent\$3 avoid minimiz\$6) with (deadlock\$3) with (thread\$3 process task\$3 request\$3 resource object)	OR	ON	2005/03/17 17:17
S15	3	(prevent\$3 avoid minimiz\$6) with (deadlock\$3) with (thread\$3 process task\$3 request\$3) with access\$3 with lock\$3 with (resource object)	OR	ON	2005/03/17 17:19

S16	24	(prevent\$3 avoid minimiz\$6) with (deadlock\$3) with (thread\$3 process task\$3 request\$3) with access\$3 with (resource object)
S17	24	(prevent\$3 avoid minimiz\$6) with (deadlock\$3 quiescen\$2) with (thread\$3 process task\$3 request\$3) with access\$3 with (resource object)
S18	35	(prevent\$3 avoid minimiz\$6 detect\$3) with (deadlock\$3 quiescen\$2) with (thread\$3 process task\$3 request\$3) with access\$3 with (resource object)
S19	11	S18 not S17

OR	ON	2005/03/17 17:19
OR	ON	2005/03/17 17:24
OR	ON	2005/03/18 14:27
OR	ON	2005/03/17 17:28



Web Images Groups News Froogle Local^{New!} more »

deadlock raise or return or throw exception

Search

Advanced Search
Preferences

☐ Search the Web ☒ Search English pages

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

Web

Results 1 - 10 of about 11,800 English pages for **deadlock raise or return or throw exception**. (0.29 seconds)

Control.Exception

... The **Deadlock exception** is raised in the main ... seq` return () == throw e throwIO e
`seq` return () == return () ... in preference to throw to raise an exception ...

etudiants.insia.org/~jboobio/ pap/p/docs/base/Control.Exception.html - 74k - [Cached](#) - [Similar pages](#)

GHC.Exception

... The **Deadlock exception** is raised in the main ... seq` return () == throw e IOError e
`seq` return () == return () ... in preference to throw to raise an exception ...

www.haskell.org/ghc/docs/ 5.04.3/html/base/GHC.Exception.html - 38k - [Cached](#) - [Similar pages](#)

[PPT] ACT Business Presentation

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... **raise**; ... function "+" (Left : Time; Right : Duration) **return** Time; ... Need to protect
against excessive delays, **deadlock**, starvation, caused by missing or ...

www.cs.nyu.edu/courses/fall00/G22.2110-001/pl.lec10.ppt - [Similar pages](#)

Exception

... an **exception** is caught, these functions **return** an Either ... is, any thread which attempts
to **raise an exception** in ... combination could lead to **deadlock**, because the ...

www.cs.mu.oz.au/fpu/ghc-guides/set/sec-exception.html - 27k - [Cached](#) - [Similar pages](#)

[PDF] Exam II

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... If a question is unclear to you, please **raise** your hand ... private synchronized int
getVal() { **return** total ... Explain in detail how **deadlock** occurs for these classes ...

www.cs.wustl.edu/~cytron/cs102/Exams/Fall01exam2.pdf - [Similar pages](#)

MSDN Online Chats is a forum to engage in discussions about...

... Erik_MS Q: BANGGROUP : How can we **raise** Application_Error in VB ... for example, I'd
prefer a **return** code personally ... a crash or a timeout or a **deadlock** or exceeding ...

msdn.microsoft.com/chats/ transcripts/net/vstudio_051602.aspx - 29k - [Cached](#) - [Similar pages](#)

Structured Exception Handling Considered Harmful

... assumes that every instruction could **raise** a C++ ... is better than an undebuggable **deadlock**
after some ... record error/success release resource **return** error/success ...

blogs.msdn.com/larryosterman/ archive/2004/09/10/228068.aspx - 65k - [Cached](#) - [Similar pages](#)

[PDF] Control Continuations Packaging continuations

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 10,1) = %d\n",reg_a); 26 **return**(0 ... handlers: try { /* code that may raise an exception ...
2. **Creating exceptions**: throw expression; Expression is optional – type ...

www.cs.bath.ac.uk/~jap/CM20168/Handouts/07-3up.pdf - [Similar pages](#)

CORBA exceptions

... An operation may **raise this exception** if a client invokes the ... example, attempting
to **return** NULL as a **return** value or ... BAD_INV_ORDER, 3, Operation would **deadlock**. ...

info.borland.com/techpubs/ bes/v6/updates/except_cpp.html - 28k - [Cached](#) - [Similar pages](#)

LtU Classic Archives

... of programming also addresses another point they **raise** in the ... may try to ... in in order to avoid **deadlock**. ... exist with unchecked **exceptions** or even return codes ...
lambda-the-ultimate.org/classic/message8380.html - 96k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**Free! Google Desktop Search: Search your own computer. [Download now.](#)**Find:**  emails -  files -  chats -  web history -  media -  PDF [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google